PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISI	HED (JNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification 6:		(11) International Publication Number: WO 97/20546
A61K 7/48	A 4	
(21) International Application Number: PCT/US		
(22) International Filing Date: 6 December 1996 (0 (30) Priority Data: 95870127.8 7 December 1995 (07.12.95) (34) Countries for which the regional or international application was filed:		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
(71) Applicant (for all designated States except US): THE TER & GAMBLE COMPANY [US/US]; One P Gamble Plaza, Cincinnati, OH 45202 (US).	E PRO	C- &
 (72) Inventors; and (75) Inventors/Applicants (for US only): PETRI, Marco Via Ai Boschi, 70, I- 21021 Angera (IT). IAKO Panos [GR/IT]; Piazza O. da Pordenone, 9, I-001 (IT). 	OVIDE	S,
(74) Agents: REED, T., David et al.; The Procter & Company, 5299 Spring Grove Avenue, Cincins 45217 (US).	Gamb nati, O	le H
(54) Title: USE OF HALOGEN BLEACH-COMPRISING (57) Abstract	G СОМ	POSITIONS FOR IMPROVED MILDNESS TO THE SKIN
The present invention relates to the use of an organi- bleach for improved skin mildness.	c or inc	organic derived -NH2 compound, in a composition comprising a halogen

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia .	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	treland	NZ	New Zealand
BG	Bulgaria	IT	Ítaly	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Кепуа	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	
CF	Central African Republic		of Korea	SE	Sudan
CG	Congo	KR	Republic of Korea	SG	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Singapore
Ci	Côte d'Ivoire	u	Liechtenstein	SK	Slovenia
CM	Cameroon	LK	Sri Lanka	SN	Slovakia
CN	China	LR	Liberia		Senegal
CS	Czechoslovakia	LT	Lithuania	SZ	Swaziland
CZ	Czech Republic	LU	Lixembourg	TD	Chad
DE	Germany	LV	Latvia	TG	Togo
DK	Denmark	MC	Monaco	ŢĮ	Tajikistan
EE	Estonia	MD		TT	Trinidad and Tobago
ES	Spain	MG	Republic of Moldova Madagascar	UA	Ukraine
គា	Finland	ML	Mali	UG	Uganda
FR	France			US	United States of America
GA	Gabon	MN	Mongolia	UZ ·	Uzbekistan
U/L	Vetta:	MR	Mauritania	VN	Viet Nam
		•			

WO 97/20546 PCT/US96/19405

USE OF HALOGEN BLEACH-COMPRISING COMPOSITIONS FOR IMPROVED MILDNESS TO THE SKIN

Field of the Invention

The present invention is related to halogen bleach-based compositions.

Background of the Invention

Halogen bleaches, in particular hypochlorite, are known to be some of the most effective hygiene agents, especially at low concentrations, and are available in commercial quantities at acceptable cost. Halogen bleaches provide a hygiene benefit against a wide range of microbes including bacteria, moulds, yeast and fungi. Thus it is highly desirable to incorporate halogen bleaches in detergent compositions for bleaching and/or disinfection purposes. However, halogen bleaches and in particular hypochlorite are irritant and many consumers suffer from skin irritation when using such compositions.

Particularly, the hands of the user are prone to such irritation. As a result of coming into contact with such compositions the hands suffer from dryness and from a feeling of tightness. This occurs when the compositions are used neat and also when used in diluted form.

Without being limited by theory, it is believed that halogen bleaches like hypochlorite attack the uppermost layer of the epidermal of the skin. This results in the decrease of the elasticity of the skin. The skin also becomes more sensitive, resulting in dryness and coarseness of the skin. In addition, the skin may become inflamed and become red, sore and itchy. These effects are magnified in alkaline conditions, because alkali is also an irritant. Alkalinity is required for example for hypochlorite stability, thus alkaline pH is the preferred condition for hypochlorite-comprising compositions. However, alkaline conditions contribute to skin tightening because they alter the natural pH of the skin.

The object of the present invention is to improve skin mildness and reduce skin irritation of halogen bleach-comprising compositions.

The present invention overcomes these problems by the use of an organic or inorganic derived -NH₂ compound in a composition comprising a halogen bleach. Indeed, it has been found that a liquid composition comprising a halogen bleach and an organic or inorganic derived -NH₂ compound delivers improved skin mildness as compared to the same composition without said organic or inorganic derived -NH₂ compound, when used for instance by the user for hard-surfaces cleaning applications.

EP-A-644 256 discloses the use of the combination of an amine oxide with an alkyl sulphate in hypochlorite-comprising compositions for improved skin mildness. Said amine oxide is according to the formula R₁R₂R₃NO, wherein R₁ is a C₈ to C₁₈ alkyl group and R₂ and R₃ are independently C₁ to C₃ alkyl groups. Said alkyl sulphate is according to the formula R₄OSO₃H, wherein R₄ is a C₆ to C₁₀ alkyl group. No organic or inorganic derived -NH₂ compounds such as sulphamic acid are disclosed therein nor their skin mildness benefit.

Compositions comprising a halogen bleach and an organic or inorganic derived -NH2 compound such as sulphamic acid are already known. However, none of the prior art documents discloses the benefit associated to the use of an organic or inorganic derived -NH2 compound in a halogen bleach-comprising composition, i.e. improved mildness to skin and/or

reduced skin irritation, see for instance Japanese Kokai 63-108099, US 2,438,781, US 3,749,672.

Summary of the Invention

The present invention encompasses the use of an organic or inorganic derived -NH₂ compound in a composition comprising a halogen bleach, for improved skin mildness.

Detailed Description of the Invention

The present invention is the use of an organic or inorganic derived -NH₂ compound in a composition comprising a halogen bleach, for improved skin mildness.

Thus an essential ingredient in the present invention is a halogen bleaching agent or mixtures thereof. Common among these types of bleaches are the alkali metal and alkali earth metal hypochlorites, hypobromites and hypoiodites although other bleaches that are organic based sources of halide, such as chloroisocyanurate, are also applicable. Preferred bleach has the formula M(OX)_Y where: M is a member selected from the group consisting of sodium, lithium, potassium, magnesium, calcium, and mixtures thereof; O is an oxygen atom; X is a member selected from the group consisting of chlorine, bromine, iodine, and mixtures thereof; and y is 1 or 2 depending on the charge of M. The preferred embodiment of the invention will effectively contain hypochlorite or hypochlorite and hypobromite.

The preferred hypohalite bleaches that comprise the present invention are sodium hypochlorite, potassium hypochlorite, calcium hypochlorite, magnesium hypochlorite, sodium hypobromite, potassium hypobromite, calcium hypobromite, magnesium hypobromite, sodium hypolodite and potassium hypoiodite, more preferably sodium hypochlorite, potassium hypochlorite, calcium hypochlorite, magnesium hypochlorite, most

preferably sodium hypochlorite. A preferred organic-based bleach is chloroisocyanurate, however, any organic halide that produces active halogen is suitable for use in the present invention.

The compositions of the present invention comprise from 0.01% to 10% by weight of the total composition of said halogen bleach or mixtures thereof, preferably from 0.01% to 5%, more preferably from 0.1% to 2.5%, and most preferably from 0.5% to 2.5% by weight.

Another essential ingredient in the present invention is an organic or inorganic derived -NH2 compound, or mixtures thereof. Said organic and inorganic derived -NH2 compounds are effective in reducing or eliminating the irritation of the skin of the user, when a halogen bleach-comprising composition comprising it comes into contact with the skin. Examples of such compounds are sulphamic acid, sulphamide, p-toluenesulphonamide, imidodisulphonamide, benzenesulphonamide, melamine, cyanamide, alkyl sulfonamides, and mixtures thereof. At pH levels of the present invention, which are preferably greater than 11, the above mentioned compounds may be de-protonated, that is, they may be in the form of a salt and therefore due to expediency, ease of synthesis or preparation, or due to formulation practices the salt form of any or all of the above mentioned compounds will suffice. Although any suitable cation will suffice for the purposes of the present invention, sodium, potassium, lithium, magnesium, calcium, and mixtures thereof are preferred.

The present invention comprises said -NH₂ compounds in amounts such that the mole ratio of said halogen bleach to said -NH₂ compounds is from 10:1 to 1:10, preferably from 5:1 to 1:2, more preferably from 3:1 to 1:2.

The compositions according to the present invention are formulated in the alkaline pH range. Indeed, alkalinity plays an important role in the stability of said compositions. Accordingly, the compositions according to the present invention have a pH that is greater than 10, preferably greater than 11, more preferably greater than 12. This is achieved by the addition of a

WO 97/20546 PCT/US96/19405

5

caustic alkali or mixtures thereof such as sodium and/or potassium hydroxide.

The compositions according to the present invention are liquid compositions. Said liquid compositions are preferably but not necessarily formulated as aqueous compositions.

According to the present invention the compositions herein can optionally include a number of additional ingredients. Suitable optional ingredients include one or more other detergent adjunct materials or other materials for assisting or enhancing cleaning performance, treatment of the surface to be cleaned, or to modify the aesthetics of the composition (e.g. perfumes, colorants, dyes, etc.). The following are illustrative examples of such adjunct materials but are not meant to be exclusive or limiting in scope.

The compositions according to the present invention may contain from 0.1% to 95% by weight of a surfactant selected from the group consisting of anionic, nonionic, ampholytic and zwitterionic surface active agents, preferably from 0.1% to 20% by weight.

Suitable anionic surfactants include anionic surfactants that can be broadly described as the water-soluble salts, particularly the alkali metal salts, of organic sulfonation reaction products having in their molecular structure an alkyl radical containing from about 6 to about 22 carbon atoms and a radical selected from the group consisting of sulfonic acid and sulfuric acid ester radicals. (Included in the term alkyl is the alkyl portion of higher acyl radicals.) Important examples of the anionic synthetic detergents which can form the surfactant component of the compositions of the present invention are the sodium or potassium alkyl sulfates, especially those obtained by sulfating the higher alcohols (C6-18 carbon atoms) produced by reducing the glycerides of tallow or coconut oil; sodium or potassium alkyl benzene sulfonates, in which the alkyl group contains from about 9 to about 15 carbon atoms, (the alkyl radical can be a straight or branched aliphatic chain); sodium alkyl glyceryl ether sulfonates, especially those ethers of the higher alcohols derived from tallow and coconut oil; sodium coconut oil fatty acid monoglyceride sulfates and sulfonates; sodium or

potassium salts of sulfuric acid ester of the reaction product of one mole of a higher fatty alcohol (e.g. tallow or coconut alcohols) and about 1 to about 10 moles of ethylene oxide; sodium or potassium salts of alkyl phenol ethylene oxide ether sulfates with about 1 to about 10 units of ethylene oxide per molecule and in which the alkyl radicals contain from 8 to 12 carbon atoms; the reaction products of fatty acids are derived from coconut oil sodium or potassium salts of fatty acid amides of a methyl tauride in which the fatty acids, for example, are derived from coconut oil and sodium or potassium beta-acetoxy- or beta-acetamido-alkanesulfonates where the alkane has from 8 to 22 carbon atoms.

Additionally, secondary alkyl sulfates may be used by the formulator exclusively or in conjunction with other surfactant materials and the following identifies and illustrates the differences between sulfated surfactants and otherwise conventional alkyl sulfate surfactants. Non-limiting examples of such ingredients are as follows.

Conventional primary alkyl sulfates, such as those illustrated above, have the general formula ROSO3-M+ wherein R is typically a linear C₆-C₂₂ hydrocarbon group and M is a water solubilizing cation. Branched chain primary alkyl sulfate surfactants (i.e., branched-chain "PAS") having 8-20 carbon atoms are also known; see, for example, Eur. Pat. Appl. 439 316, Smith et al., filed January 21, 1991.

Conventional secondary alkyl sulfate surfactants are those materials which have the sulfate moiety distributed randomly along the hydrocarbon "backbone" of the molecule. Such materials may be depicted by the structure

CH3(CH2)n(CHOSO3-M+)(CH2)mCH3

wherein m and n are integers of 2 of greater and the sum of m+n is typically about 9 to 17, and M is a water-solubilizing cation.

In addition, the selected secondary (2,3) alkyl sulfate surfactants used herein may comprise structures of formulas I and II

CH3(CH2)x(CHOSO3-M+)CH3

CH3(CH2)y(CHOSO3-M+)CH2CH3

for the 2-sulfate and 3-sulfate, respectively. Mixtures of the 2- and 3-sulfate can be used herein. In formulas I and II, x and (y+1) are, respectively, integers of at least about 6, and can range from about 7 to about 20, preferably from about 10 to about 16. M is a cation, such as an alkali metal, ammonium, alkanolammonium, triethanol-ammonium, and the like, can also be used.

The aforementioned secondary alkyl sulfates are those prepared by the addition of H2SO4 to olefins. A typical synthesis using alpha olefins and sulfuric acid is disclosed in U.S. Pat. No. 3,234,258, Morris, issued February 8, 1966 or in U.S. Pat. No. 5,075,041, Lutz, issued December 24, 1991. The synthesis conducted in solvents which afford the secondary (2,3) alkyl sulfates on cooling, yields products which, when purified to remove the unreacted materials, randomly sulfated materials, unsulfated by-products such as C10 and higher alcohols, secondary olefin sulfonates, and the like, are typically 90+% pure mixtures of 2- and 3-sulfated materials (some sodium sulfate may be present) and are white, non tacky, apparently crystalline, solids. Some 2,3-disulfates may also be present, but generally comprise no more than 5% of the mixture of secondary (2,3) alkyl mono-sulfates. Such materials are available under the name "DAN", e.g. "DAN 200" from Shell Oil Company.

Other suitable surfactants to be used herein include amine oxides according to the formula $R_1R_2R_3NO$ where R_1 is primarily a C_6 - C_{22} alkyl group and R_2 and R_3 are C_1 to C_3 alkyl groups or mixtures thereof. Indeed, such amine oxides for use herein can be Genaminox^R LA, Gemaminox^R MY-X (available from Hoechst), C_{12} - C_{14} Aromox^R DMMCO-W, (AKZO), Aromox DM14D-W, (AKZO) and Aromox DM14D-W (AKZO). Suitable amine oxides for use herein are preferably halogen bleach compatible.

Other optional ingredients such as buffers can be included in the formulations herein for a variety of purposes. One such purpose is to adjust the cleaning solution pH to optimize the hard surface cleaner composition's effectiveness relative to a particular type of soil or stain.

WO 97/20546 PCT/US96/19405

8

Buffers may be included to stabilize the adjunct ingredients with respect to extended shelf life or for the purpose of maintaining compatibility between various aesthetic ingredients. The hard surface cleaner of the present invention optionally contains buffers to adjust the pH in a preferred range above 11. Non-limiting examples of such suitable buffers are potassium carbonate, sodium carbonate, and trisodium phosphate, however, the formulator is not restricted to these examples or combinations thereof.

The compositions according to the present invention may also optionally contain one or more iron and/or manganese chelating agents. Examples of such compatible chelating agents are ethane-1-hydroxy-1, 1-diphosphonic acid (EDHP) and dipicolinic acid.

Perfumes are an optional but highly preferred ingredient especially for the liquid composition embodiment. Perfume is usually used at levels of from 0% to 5%. In U.S. Pat.No. 4,246,129, Karcher, issued January 20, 1981 (incorporated herein by reference), certain perfume materials are disclosed which perform the added function reducing the solubility of anionic sulfonate and sulfate surfactants.

As a further optional, but preferred ingredient, the present compositions comprise bleach boosters. Bleach boosters are those compounds that in an alkaline pH environment are capable of releasing a halide ion, undergoing an oxidation, a reduction or other disproportionation that otherwise yields an activated halide ion. Typically boosters containing bromine atoms and iodine atoms are used in the presence of chlorine atom based bleaches and iodine is used when bromine based bleaches are employed as the primary bleaching agent. Preferred bleach booster has the formula M(X)_y where: a) M is a member selected from the group consisting of lithium, sodium, potassium, magnesium, calcium, copper, zinc, and mixtures thereof; and b) X is the radical bromide, hypobromite, bromate, iodide, hypoiodite, iodate, and mixtures thereof; wherein y is 1 or 2.

While not wishing to be limited by theory, it is believed that the boosters have the effect, as in the case of hypochlorite based bleach, of converting the hypochlorite bleach into a more reactive and/or a more stable species, for example, hypobromite, thus providing for the full utility of the bleach formulated. Bleach boosters of the present invention may be added as a precursor which itself can be a bleach booster, for example, iodide ion is a suitable bleach booster according to the present invention. The boosters thus formed by oxidation/reduction or other disproportionations, for example, iodate, may be instead added directly.

The bleach boosters of the present invention are of the formula MX where M is a member selected from the group consisting of lithium, sodium, potassium, magnesium, calcium, copper, and zinc while the X is halogen. The preferred bleach boosters are the sodium and potassium salts of bromine and iodine, more preferably sodium and potassium bromide and iodide.

The present invention comprises bleach boosters that are present such that the mole ratio of bleach to bleach booster is from 1:0.1 to 1:2, preferably from 1:0.2 to 1:1.

Other optional ingredients employed in the compositions according to the present invention can be selected from bleach stabilizers, pigments, color speckles, other suds boosters, suds suppressors, anti-tarnish and/or anti-corrosion agents, soil-suspending agents, germicides, alkalinity sources, hydrotropes, anti-oxidants, clay soil removal/anti-redeposition agents, polymeric dispersing agents, or mixtures thereof.

The present invention will be further illustrated by the following examples.

EXAMPLES

The following compositions are made by mixing the following ingredients in the listed proportions (weight %). All these compositions were found to be particularly mild to the skin when used both under neat and diluted conditions.

i .		CON	/POSIT	TIONS		•		
Ingredients (weight%)	i		Ш	. IV	V	VI	VII	VIII
Sodium Lauryl sulfate	2	1	-	4	4	0.5	-	-
Sodium Octyl sulfate	-	•	-	2	2	-	1	1.5
Lauryl dimethyl amineoxide	-	•	0.8	-	-	0.6	2	1
LAS	-	0.5	-	-	-	-	~	-
Silicate	-	•	0.2	0.1	0.1	-	0.5	0.5
Perfume	-	0.1	-	0.3	0.3	-	0.3	0.3
Caustic	2	3.2	2	3	3	2.2	2.8	2.5
Sulfamic acid	2.5	3.5	1.5	2.9	2.9	4.0	2.2	2.0
Sodium bromide	-	0.5	0.3	-	0.5	0.8	0.5	0.5
Hypochlorite	1.5	2.0	1.0	1.7	1.7	3.0	1.5	1.3
Water and minors up to 100	%							

WHAT IS CLAIMED IS:

- 1. The use of an organic or inorganic derived -NH₂ compound, in a composition comprising a halogen bleach, for improved skin mildness.
- 2. The use according to claim 1 wherein said composition has a pH greater than 10, preferably greater than 11 and more preferably greater than 12.
- 3. The use according to any of the preceding claims wherein said halogen bleach has the formula M(OX)y where:
 - a) M is a member selected from the group consisting of sodium, lithium, potassium, magnesium, calcium, and mixtures thereof;
 - b) O is an oxygen atom; and
 - c) X is a member selected from the group consisting of chlorine, bromine, iodine, and mixtures thereof;

wherein y is 1 or 2.

- 4. The use according to any of the preceding claims wherein said composition comprises from 0.01% to 10% by weight of said halogen bleach or mixture thereof, preferably from 0.01% to 5% and more preferably from 0.1% to 2.5%.
- 5. The use according to any of the preceding claims wherein said -NH₂ compound is a member selected from the group consisting of sulphamic acid, sodium sulphamate, potassium sulphamate, sulfamide, p-toluenesuphonamide, imidodisulphonamide, benzenesulphonamide, melamine, cyanamide, alkyl sulfonamide, and mixtures thereof and preferably is sulphamic acid.
- 6. A composition according to the preceding claims wherein the molar ratio of bleach to said -NH₂ compound is from 10:1 to 1:10, preferably from 5:1 to 1:2, and more preferably from 3:1 to 1:2.
- 7. The use according to any of the preceding claims wherein said composition further comprises from 0.1% to 95% by weight of a detersive surfactant.

8. The use according to any of the preceding claims wherein said composition further comprises optional ingredients selected from the group of buffers, chelating agents, perfumes, bleach stabilizers, pigments, color speckles, suds boosters, suds suppressors, antitarnish and/or anti-corrosion agents, soil-suspending agents, germicides, alkalinity sources, hydrotropes, anti-oxidants, clay soil removal/anti-redeposition agents, polymeric dispersing agents, and mixtures thereof.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/19405

A. CLA IPC(6) US CL	SSIFICATION OF SUBJECT MATTER :A61K 7/48 :424/62		
	to International Patent Classification (IPC) or to bo	th national classification and IPC	· · · · · · · · · · · · · · · · · · ·
	LDS SEARCHED locumentation scarched (classification system follow	ved by classification symbols)	:
U.S. :	·	or of oleosmoudon symbols,	
Documenta	tion searched other than minimum documentation to	the extent that such documents are included	d in the fields searched
Electronic d	iata base consulted during the international scarch (name of data base and, where practicable	e, search terms used)
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.
X	US 4,822,512 A (AUCHINCLOS) 1-2.	S) 18 April 1989, columns	1-3
Y	US 3,060,097 A (FELLOWS) 23 C	October 1962, columns 1-2.	1-3
Y	US 2,283,350 A (BAUM) 19 Ma	y 1939, columns 1-2.	1-3
Furthe	er documents are listed in the continuation of Box (C. See patent family annex.	
Spec A' doce to be	cial extegories of cited documents: ument defining the general state of the art which is not considered e of particular relevance ier document published on or after the international filing date	"T" later document published after the inte date and not in conflict with the applica principle or theory underlying the inve "X" document of particular relevance; the	tion but cited to understand the intion claimed invention cannot be
L' docu cited spec	ament which may throw doubts on priority claim(s) or which is to establish the publication date of another citation or other inl reason (as specified) ament referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance; the considered to involve an inventive combined with one or more other such	claimed invention cannot be step when the document is
manc docu	ment published prior to the international filing date but later than	being obvious to a person skilled in the "&" document member of the same patent	e art
	ctual completion of the international search	Date of mailing of the international sea	
24 MARCH	ł 1997	0 4 APR 1997	
Commissione Box PCT	ailing address of the ISA/US er of Patents and Trademarks D.C. 20231 . (703) 305-3230	Authorized officer SALLY GARDNER Telephone No. (703) 308-2351	1

INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/19405

4	
Box 1 Obs	ervations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This internation	onal report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
	aims Nos.: cause they relate to subject matter not required to be searched by this Authority, namely:
bec	ims Nos.: ause they relate to parts of the international application that do not comply with the prescribed requirements to such extent that no meaningful international search can be carried out, specifically:
	ims Nos.: 4-8 ause they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Obse	rvations where unity of invention is lacking (Continuation of item 2 of first sheet)
This internation	onal Searching Authority found multiple inventions in this international application, as follows:
	•
•	
1. Asa	ll required additional search fees were timely paid by the applicant, this international search report covers all searchable as.
2. As a of as	Il searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment by additional fee.
3. As o only	nly some of the required additional search fees were timely paid by the applicant, this international search report covers those claims for which fees were paid, specifically claims Nos.:
4. No restri	equired additional search fees were timely paid by the applicant. Consequently, this international search report is eted to the invention first mentioned in the claims; it is covered by claims Nos.:
: Remark on Pr	The additional search fees were assessed to the search fees were aspecial to the search fees were as the search fees were as the sea
	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet(1))(July 1992)*